

A Higher Level of Precision...A Higher Level of Performance


NTEP Approved Bench Scale

- 6,000 Divisions
- 120 lb to 600 lb Capacity
- Large 2 Inch Display
- Rechargeable Battery



Model	UFM-F60	UFM-F120	UFM-F300
Capacity	120 lb / 60 kg	250 lb / 120 kg	600 lb / 300 kg
Readability	0.02 lb / 0.01 kg	0.05 lb / 0.02 kg	0.1 lb / 0.05 kg
Divisions	6,000		
Weighing Units / Functions	lb, kg / accumulation		
Stabilization Time (seconds)	< 2		
Tare Range	To capacity by subtraction		
Power Source	Built-in rechargeable battery or external power adapter (included)		
Construction	Stainless steel platform and cast aluminum base		
Display	2 inch / 50.8 mm, 7 segment, wide viewing angle LCD		
Platform Size (W x D x H)	16.5 x 20.5 x 4.5 inches / 420 x 520 x 120 mm		
Overall Dimensions (W x D x H)	16.5 x 23.5 x 33.9 inches / 420 x 596 x 860 mm		
Operating Environment	32° ~ 104° F non condensing R.H. ≤ 95%		
Net Weight	39 lb / 17.7 kg		
Shipping Weight	48 lb / 21.7 kg		
IP Ratings / Approvals	NTEP CoC # 04-100		
Options	RS 232 Configurable printer or computer interface, EL backlight, wheel kit, weatherproof indicator cover, load cell extension cable		

UFM-F Series



Features

- Overload and shock protection mechanism
- Heavy duty rugged construction
- Low profile, compact size
- Large LCD display with wide viewing angle
- Display reads in lb and kg
- Built-in rechargeable battery or external power adapter
- Accumulation function
- Zero tracking
- Automatic power save
- Low battery indicator / charge status indicator
- Auto calibration function
- Gravitational correction software
- Adjustable feet and spirit level
- Digital motion filtering
- Optional automatic tare
- In use cover (for indicator)

Benefits

- Protects against excessive loads and shock applied to platform
- Will withstand harsh industrial operation
- Space saving, easy to load and unload
- Easy to see weight values from a distance, reduces mistakes
- Flexibility of operation
- Portability. Battery operation minimum 120 hours (without backlight)
- Allows you to add together consecutive weights to arrive at a total
- Ensures that you always start weighing at zero
- Conserves battery power
- Alerts you to charge the battery, saving downtime
- Ensures accuracy
- Enables you to input different G acceleration factors
- Scale remains level for accurate results on uneven working surfaces - Anti-slip
- Enables animal weighing or can compensate for harsh environmental conditions
- Enables you to disregard the first item placed on the platform
- Protects indicator from damage and dirt